


# Spare parts list

## Handheld hydraulic breakers

### BRK 40, 40 VR

|                           | Valid from serial number |
|---------------------------|--------------------------|
| BRK 40 VR (1 x 4¼ in.)    | 187700                   |
| BRK 40 (1 x 4¼ in.)       | 187700                   |
| BRK 40 VR (1 1/8 x 6 in.) | 187700                   |
| BRK 40 (1 1/8 x 6¼ in.)   | 187700                   |
| BRK 40 VR (1¼ x 6 in.)    | 187700                   |
| BRK 40 (1¼ x 6 in.)       | 187700                   |
| BRK 40 VR (1¼ x 6¼ in.)   | 187700                   |
| BRK 40 (1¼ x 6¼ in.)      | 187700                   |





# Contents

|                                                     |    |
|-----------------------------------------------------|----|
| <b>General information</b> .....                    | 5  |
| <b>Spare parts list</b> .....                       | 6  |
| BRK 40, 40 VR.....                                  | 6  |
| Nose parts.....                                     | 10 |
| Handle standard .....                               | 14 |
| VR-handle.....                                      | 16 |
| <b>Tightening torque</b> .....                      | 18 |
| <b>Working tools</b> .....                          | 19 |
| US standard hexagon 1 x 4¼ in. (25 x 108 mm) .....  | 19 |
| US standard hexagon 1½ x 6¼ in. (28 x 160 mm).....  | 20 |
| US standard hexagon 1¼ x 6 in. (32 x 152 mm) .....  | 21 |
| US standard hexagon 1¼ x 6¼ in. (32 x 160 mm).....  | 22 |
| ISO standard hexagon 25 x 108 mm (1 x 4¼ in.).....  | 22 |
| ISO standard hexagon 28 x 160 mm (1½ x 6¼ in.)..... | 23 |
| ISO standard hexagon 32 x 152 mm (1¼ x 6 in.) ..... | 24 |
| ISO standard hexagon 32 x 160 mm (1¼ x 6¼ in.)..... | 25 |
| <b>Accessories</b> .....                            | 26 |
| Hoses and couplings .....                           | 26 |
| <b>Kits</b> .....                                   | 27 |
| Label kit .....                                     | 27 |
| Seal kit.....                                       | 28 |
| Trigger valve kit.....                              | 29 |
| Accumulator kit.....                                | 30 |



## General information

This spare parts list applies to the following:

| Part number  | Description                                        |
|--------------|----------------------------------------------------|
| 1801 3447 19 | Handheld hydraulic breaker BRK 40 VR (1 x 4¼ in.)  |
| 1801 3446 11 | Handheld hydraulic breaker BRK 40 (1 x 4¼ in.)     |
| 1801 3447 20 | Handheld hydraulic breaker BRK 40 VR (1½ x 6 in.)  |
| 1801 3446 58 | Handheld hydraulic breaker BRK 40 (1½ x 6¼ in.)    |
| 1801 3447 21 | Handheld hydraulic breaker BRK 40 VR (1¼ x 6 in.)  |
| 1801 3446 60 | Handheld hydraulic breaker BRK 40 (1¼ x 6 in.)     |
| 1801 3447 22 | Handheld hydraulic breaker BRK 40 VR (1¼ x 6¼ in.) |
| 1801 3446 62 | Handheld hydraulic breaker BRK 40 (1¼ x 6¼ in.)    |

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability. Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers, and drawings.

### Instructions for use


This spare parts list contains no safety regulations and is merely intended to assist in the ordering of spare parts.

For information about operating, servicing, or repairing, the relevant Safety and operating instructions must be consulted at all costs.

Please observe the safety instructions listed in the relevant Safety and operating instructions!

# Spare parts list

## BRK 40, 40 VR




| No.       | Description            | Remark                                                   | Quantity | Part number  |
|-----------|------------------------|----------------------------------------------------------|----------|--------------|
| 1         | Spring                 |                                                          | 1        | 3371 8141 63 |
| 2         | Washer                 |                                                          | 1        | 3371 8147 52 |
| 3         | Seal                   | Ø 0.31 x 0.55 x 0.14 x 0.20 in.<br>Ø 8 x 14 x 3.5 x 5 mm | 1        | 3371 8055 03 |
| 4         | Packing gland          |                                                          | 1        | 3371 8141 20 |
| 5         | O-ring                 | Ø 0.33 x 0.09 in.<br>Ø 8.3 x 2.4 mm                      | 1        | 3371 8147 00 |
| 6         | O-ring                 | Ø 0.64 x 0.09 in.<br>Ø 16.3 x 2.4 mm                     | 1        | 3371 8147 02 |
| 7         | Back-up ring           |                                                          | 1        | 3371 8147 01 |
| 8         | Circlip                |                                                          | 1        | 3371 8147 12 |
| 9         | Trigger spool with rod |                                                          | 1        | -            |
| 10        | Guide socket T         |                                                          | 1        | 3371 8141 16 |
| 11        | Auxiliary spool T      |                                                          | 1        | 3371 8141 15 |
| 12        | Screw                  | M10 x 35 mm                                              | 4        | 3371 8147 23 |
| 13        | Seal ring              | ½ in. BSP<br>12.5 mm BSP                                 | 2        | 3371 8057 14 |
| 14        | Protective cap         | ½ in. BSP<br>12.5 mm BSP                                 | 2        | 3371 8137 09 |
| 15        | Nipple                 | ½ in. BSP<br>12.5 mm BSP                                 | 2        | 3371 8057 11 |
| 16        | Spool                  |                                                          | 1        | 3371 8141 12 |
| 17        | O-ring                 | Ø 0.95 x 0.12 in.<br>Ø 24.2 x 3 mm                       | 2        | 3371 8147 03 |
| 18        | Auxiliary spool P      |                                                          | 1        | 3371 8141 13 |
| 19        | O-ring                 | Ø 1.30 x 0.08 in.<br>Ø 33 x 2 mm                         | 2        | 3371 8147 10 |
| 20        | Guide socket P         |                                                          | 1        | 3371 8141 14 |
| 21        | Protective nut         | M24 x 1.5 mm                                             | 1        | 3376 1170 71 |
| 22        | Seal ring              | Ø 0.34 x 0.51 x 0.04 in.<br>Ø 8.7 x 13 x 1 mm            | 1        | 3371 8147 09 |
| 23        | Charging screw         |                                                          | 1        | 3371 8131 03 |
| 24        | Accumulator cover      |                                                          | 1        | 3371 8141 02 |
| 25        | Diaphragm              |                                                          | 1        | 3371 8140 52 |
| 26        | Accumulator body       |                                                          | 1        | -            |
| 27        | Screw                  | M10 x 50 mm                                              | 3        | 3371 8157 20 |
| 28        | Valve housing          | Plugged                                                  | 1        | 3371 8141 08 |
| 29        | Lock ring              |                                                          | 1        | 3371 8157 38 |
| 30(31-32) | Cylinder, complete     |                                                          | 1        | 3371 8141 24 |
| 31        | Cylinder               |                                                          | 1        | -            |
| 32        | Fitting                |                                                          | 4        | 3371 8147 33 |
| 33        | Seal                   |                                                          | 1        | 3371 8141 72 |
| 34        | Wiper                  |                                                          | 1        | 3371 8147 07 |
| 35        | Piston                 |                                                          | 1        | 3371 8141 25 |
| 36        | Back-up washer         |                                                          | 3        | 3371 8157 35 |
| 37        | Back-up washer         |                                                          | 1        | 3371 8141 69 |
| 38        | Circlip                |                                                          | 1        | 3371 8147 54 |
| 39        | O-ring                 | Ø 0.98 x 0.06 in.<br>Ø 25 x 1.5 mm                       | 1        | 3371 8147 48 |
| 40        | O-ring                 | Ø 0.51 x 0.06 in.<br>Ø 13 x 1.5 mm                       | 1        | 3371 8147 49 |
| 41        | O-ring                 | Ø 0.87 x 0.06 in.<br>Ø 22 x 1.5 mm                       | 2        | 3371 8207 06 |

| No. | Description | Remark                             | Quantity | Part number  |
|-----|-------------|------------------------------------|----------|--------------|
| 42  | O-ring      | Ø 0.47 x 0.06 in.<br>Ø 12 x 1.5 mm | 2        | 3371 8147 50 |
| 43  | O-ring      | Ø 2.72 x 0.06 in.<br>Ø 69 x 1.5 mm | 1        | 3371 8147 51 |
| 44  | Data plate  |                                    | 1        | -            |



Nose parts




| No.              | Description                | Remark                                     | Quantity | Part number  |
|------------------|----------------------------|--------------------------------------------|----------|--------------|
| <b>1(2-11)</b>   | <b>Nose part, complete</b> | Hexagon 1 x 4¼ in.<br>Hexagon 25 x 108 mm  | 1        | 3371 8200 28 |
| 2                | Nose part                  |                                            | 1        | -            |
| 3                | Bushing                    | Hexagon 1 x 4¼ in.<br>Hexagon 25 x 108 mm  | 1        | 3371 8201 91 |
| 4                | Chisel bellows             |                                            | 1        | 3371 8201 93 |
| 5                | Lock ring                  | Ø 2.24 x 0.08 in.<br>Ø 57 x 2 mm           | 1        | 3371 8207 36 |
| 6                | Lock pin                   |                                            | 1        | 3371 8020 73 |
| 7                | Spring                     |                                            | 1        | 3371 8020 75 |
| 8                | Roll pin                   | Ø 0.63 x 1.97 in.<br>Ø 16 x 50 mm          | 1        | 3371 8157 30 |
| 9                | Roll pin                   | Ø 0.39 x 1.97 in.<br>Ø 10 x 50 mm          | 1        | 3371 8157 31 |
| 10               | Latch                      |                                            | 1        | 3371 8201 45 |
| 11               | Screw                      | M10 x 55 mm                                | 2        | 3371 8147 24 |
| <b>12(13-22)</b> | <b>Nose part, complete</b> | Hexagon 1½ x 6 in.<br>Hexagon 28 x 152 mm  | 1        | 3371 8200 29 |
| 13               | Nose part                  |                                            | 1        | -            |
| 14               | Bushing                    | Hexagon 1½ x 6 in.<br>Hexagon 28 x 152 mm  | 1        | 3371 8202 17 |
| 15               | Chisel bellows             |                                            | 1        | 3371 8202 19 |
| 16               | Lock ring                  | Ø 2.52 x 0.08 in.<br>Ø 64 x 2 mm           | 1        | 3371 8207 37 |
| 17               | Lock pin                   |                                            | 1        | 3371 8020 73 |
| 18               | Spring                     |                                            | 1        | 3371 8020 75 |
| 19               | Roll pin                   | Ø 0.63 x 1.97 in.<br>Ø 16 x 50 mm          | 1        | 3371 8157 30 |
| 20               | Roll pin                   | Ø 0.39 x 1.97 in.<br>Ø 10 x 50 mm          | 1        | 3371 8157 31 |
| 21               | Latch                      |                                            | 1        | 3371 8201 45 |
| 22               | Screw                      | M10 x 55 mm                                | 2        | 3371 8147 24 |
| <b>23(24-33)</b> | <b>Nose part, complete</b> | Hexagon 1½ x 6¼ in.<br>Hexagon 28 x 160 mm | 1        | 3371 8200 78 |
| 24               | Nose part                  |                                            | 1        | -            |
| 25               | Bushing                    | Hexagon 1½ x 6¼ in.<br>Hexagon 28 x 160 mm | 1        | 3371 8202 18 |
| 26               | Chisel bellows             |                                            | 1        | 3371 8202 19 |
| 27               | Lock ring                  | Ø 2.52 x 0.08 in.<br>Ø 64 x 2 mm           | 1        | 3371 8207 37 |
| 28               | Lock pin                   |                                            | 1        | 3371 8020 73 |
| 29               | Spring                     |                                            | 1        | 3371 8020 75 |
| 30               | Roll pin                   | Ø 0.63 x 1.97 in.<br>Ø 16 x 50 mm          | 1        | 3371 8157 30 |
| 31               | Roll pin                   | Ø 0.39 x 1.97 in.<br>Ø 10 x 50 mm          | 1        | 3371 8157 31 |
| 32               | Latch                      |                                            | 1        | 3371 8201 45 |
| 33               | Screw                      | M10 x 55 mm                                | 2        | 3371 8147 24 |

| No.              | Description                | Remark                                     | Quantity | Part number  |
|------------------|----------------------------|--------------------------------------------|----------|--------------|
| <b>34(35-44)</b> | <b>Nose part, complete</b> | Hexagon 1¼ x 6 in.<br>Hexagon 32 x 152 mm  | 1        | 3371 8200 34 |
| 35               | Nose part                  |                                            | 1        | -            |
| 36               | Bushing                    | Hexagon 1¼ x 6 in.<br>Hexagon 32 x 152 mm  | 1        | 3371 8202 12 |
| 37               | Chisel bellows             |                                            | 1        | 3371 8201 92 |
| 38               | Lock ring                  | Ø 2.52 x 0.08 in.<br>Ø 64 x 2 mm           | 1        | 3371 8207 37 |
| 39               | Lock pin                   |                                            | 1        | 3371 8020 73 |
| 40               | Spring                     |                                            | 1        | 3371 8020 75 |
| 41               | Roll pin                   | Ø 0.63 x 1.97 in.<br>Ø 16 x 50 mm          | 1        | 3371 8157 30 |
| 42               | Roll pin                   | Ø 0.39 x 1.97 in.<br>Ø 10 x 50 mm          | 1        | 3371 8157 31 |
| 43               | Latch                      |                                            | 1        | 3371 8201 45 |
| 44               | Screw                      | M10 x 55 mm                                | 2        | 3371 8147 24 |
| <b>45(46-55)</b> | <b>Nose part, complete</b> | Hexagon 1¼ x 6¼ in.<br>Hexagon 32 x 160 mm | 1        | 3371 8200 27 |
| 46               | Nose part                  |                                            | 1        | -            |
| 47               | Bushing                    | Hexagon 1¼ x 6¼ in.<br>Hexagon 32 x 160 mm | 1        | 3371 8201 94 |
| 48               | Chisel bellows             |                                            | 1        | 3371 8201 92 |
| 49               | Lock ring                  | Ø 2.52 x 0.08 in.<br>Ø 64 x 2 mm           | 1        | 3371 8207 37 |
| 50               | Lock pin                   |                                            | 1        | 3371 8020 73 |
| 51               | Spring                     |                                            | 1        | 3371 8020 75 |
| 52               | Roll pin                   | Ø 0.63 x 1.97 in.<br>Ø 16 x 50 mm          | 1        | 3371 8157 30 |
| 53               | Roll pin                   | Ø 0.39 x 1.97 in.<br>Ø 10 x 50 mm          | 1        | 3371 8157 31 |
| 54               | Latch                      |                                            | 1        | 3371 8201 45 |
| 55               | Screw                      | M10 x 55 mm                                | 2        | 3371 8147 24 |



Handle standard

|   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |  |
|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|--|
| 1 |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |  |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |  |




| No.     | Description               | Remark                                       | Quantity | Part number  |
|---------|---------------------------|----------------------------------------------|----------|--------------|
| 1(2-18) | Handle standard, complete | With plastic cover                           | 1        | 3371 8200 45 |
| 2       | Handle standard           |                                              | 2        | 3371 8202 04 |
| 3       | Rubber handle             |                                              | 1        | 3371 8201 35 |
| 4       | Rubber handle             |                                              | 1        | 3371 8201 34 |
| 5       | Trigger                   | Standard                                     | 1        | 3371 8202 38 |
| 6       | Roll pin                  | Ø 0.31 x 1.6 in.<br>Ø 8 x 40 mm              | 1        | 3371 8157 33 |
| 7       | Top cover                 |                                              | 1        | 3371 8200 41 |
| 8       | Screw                     | M10 x 20 mm                                  | 4        | 3371 8157 22 |
| 9       | Nab                       |                                              | 2        | 3371 8151 31 |
| 10      | Spacer                    |                                              | 4        | 3371 8151 13 |
| 11      | Bracket                   |                                              | 1        | -            |
| 12      | Nylon guide               |                                              | 1        | 3371 8202 07 |
| 13      | Screw                     | M6 x 30 mm                                   | 1        | 3378 2060 44 |
| 14      | Washer nylon              | Ø 0.83 x 1.46 x 0.12 in.<br>Ø 21 x 37 x 3 mm | 2        | 3371 8207 47 |
| 15      | Lock plate                |                                              | 1        | 3371 8202 37 |
| 16      | Safety trigger            |                                              | 1        | 3371 8202 36 |
| 17      | Spring                    |                                              | 1        | 3371 8201 52 |
| 18      | Nut                       | M6                                           | 1        | 3371 8147 16 |

VR-handle

|   |    |    |    |    |    |  |
|---|----|----|----|----|----|--|
| 1 |    |    |    |    |    |  |
| 2 | 23 | 24 | 25 | 26 | 27 |  |

|    |    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|----|
| 2  |    |    |    |    |    |    |    |    |    |    |    |
| 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |




| No.        | Description         | Remark                           | Quantity | Part number  |
|------------|---------------------|----------------------------------|----------|--------------|
| 1(2,23-27) | VR-handle, complete | With plastic cover               | 1        | 3371 8212 24 |
| 2(3-22)    | VR-handle, complete | Without plastic cover            | 1        | 3371 8210 65 |
| 3          | Frame               |                                  | 1        | 3371 8212 05 |
| 4          | Handle              |                                  | 1        | 3371 8211 73 |
| 5          | Handle              |                                  | 1        | 3371 8211 72 |
| 6          | Trigger lever       |                                  | 1        | 3371 8212 00 |
| 7          | Roll Pin            | Ø 0.24 x 0.94 in.<br>Ø 6 x 24 mm | 1        | 3371 8207 12 |
| 8          | Thrust pad          | With screw M8                    | 1        | 3371 8210 68 |
| 9          | Nut                 | M8                               | 1        | 3371 8207 22 |
| 10         | Stopper             |                                  | 2        | 3371 8211 77 |
| 11         | Screw               | M8 x 25 mm                       | 2        | 3371 8051 55 |
| 12         | Pin                 |                                  | 1        | 3371 8211 84 |
| 13         | Washer              | Ø 0.31 in.<br>Ø 8 mm             | 2        | 3377 1040 08 |
| 14         | Nut                 | M8                               | 2        | 3371 8207 22 |
| 15         | Spring              |                                  | 4        | 3371 8211 78 |
| 16         | Spring guide        |                                  | 4        | 3371 8211 75 |
| 17         | Washer              | Ø 0.24 in.<br>Ø 6 mm             | 4        | 3377 0004 07 |
| 18         | Screw               | M6 x 10 mm                       | 4        | 3371 8177 24 |
| 19         | Trigger pawl        |                                  | 1        | 3371 8211 76 |
| 20         | Pin                 | Ø 0.24 x 1.18 in.<br>Ø 6 x 30 mm | 1        | 3371 8207 11 |
| 21         | Pin latch right     |                                  | 1        | 3371 8201 47 |
| 22         | Pin latch left      |                                  | 1        | 3371 8201 48 |
| 23         | Top cover           |                                  | 1        | 3371 8212 23 |
| 24         | Spacer              |                                  | 4        | 3371 8151 13 |
| 25         | Nab                 |                                  | 2        | 3371 8151 31 |
| 26         | Screw               | M10 x 25 mm                      | 4        | 3378 0341 02 |
| 27         | Lock washer         | Ø 0.31 in.<br>Ø 8 mm             | 2        | 3315 0195 04 |

## Tightening torque


| Description    | Tightening torque (Nm) | Remark              | Part number  |
|----------------|------------------------|---------------------|--------------|
| Guide socket T | 100                    | LOCTITE® 245™       | 3371 8141 16 |
| Screw          | 40                     | LOCTITE® 245™       | 3371 8147 23 |
| Nipple         | 55                     |                     | 3371 8057 11 |
| Guide socket P | 100                    | LOCTITE® 245™       | 3371 8141 14 |
| Screw          | 70                     | LOCTITE® 245™       | 3371 8157 20 |
| Fitting        | -                      | LOCTITE® 275™       | 3371 8147 33 |
| Bushing        | -                      | LOCTITE® 648 (275)™ | 3371 8201 91 |
| Screw          | 60                     | LOCTITE® 245™       | 3371 8147 24 |
| Bushing        | -                      | LOCTITE® 648 (275)™ | 3371 8202 18 |
| Bushing        | -                      | LOCTITE® 648 (275)™ | 3371 8202 12 |
| Bushing        | -                      | LOCTITE® 648 (275)™ | 3371 8201 94 |

LOCTITE is a registered trademark of Henkel Corporation. 245, 275, and 648 are trademarks of Henkel Corporation.

## Working tools




## US standard hexagon 1 x 4¼ in. (25 x 108 mm)



Flat to flat


| No. | Description           | W (in.) | L (in.) | L <sub>T</sub> (in.) | Wt (lb) | Part number  |
|-----|-----------------------|---------|---------|----------------------|---------|--------------|
| 1   | Moil point            | -       | 15      | 20                   | 4.6     | 3083 4030 00 |
|     |                       | -       | 18      | 22                   | 5.3     | 3083 4030 10 |
|     |                       | -       | 24      | 29                   | 6.8     | 3083 4030 20 |
|     |                       | -       | 36      | 41                   | 9.7     | 3083 4030 30 |
| 2   | Narrow chisel         | -       | 15      | 20                   | 4.6     | 3083 3309 00 |
|     |                       | -       | 18      | 22                   | 5.3     | 3083 4031 10 |
|     |                       | -       | 24      | 29                   | 6.8     | 3083 4031 20 |
|     |                       | -       | 36      | 41                   | 9.7     | 3083 4031 30 |
| 3   | Wide chisel           | 3       | 15      | 20                   | 5.3     | 3083 3310 00 |
|     |                       | 3       | 18      | 22                   | 5.7     | 3083 4032 00 |
|     |                       | 3       | 24      | 29                   | 7.3     | 3083 4032 10 |
|     |                       | 3       | 36      | 41                   | 10.3    | 3083 4032 20 |
| 4   | Asphalt cutter        | 4½      | 12      | 16¾                  | 7.1     | 3083 4034 00 |
|     |                       | 5       | 13      | 17¾                  | 6.4     | 3083 4033 00 |
| 5   | Digging chisel        | 3       | 15      | 20                   | 7.0     | 3083 3311 00 |
| 6   | Digging spade         | 4¾      | 13      | 17¾                  | 8.8     | 3083 3312 00 |
| 7   | Clay spade            | 4       | 16      | 21                   | 6.2     | 3083 4035 10 |
|     |                       | 5       | 16      | 21                   | 8.2     | 3083 4035 00 |
| 8   | Wedge chisel          | 2       | 15      | 20                   | 10.4    | 3083 3313 00 |
| 9   | Shaft for tamping pad | -       | 11      | 16                   | 4.2     | 3083 4037 00 |
| 10  | Tamping pad, round    | Ø7      | -       | -                    | 16.8    | 3083 3252 10 |
| 11  | Tamping pad, square   | 7       | -       | -                    | 13.5    | 3083 3239 00 |
| 12  | Driver pad, round     | Ø4      | -       | -                    | 5.7     | 9245 2817 90 |
|     |                       | Ø2½     | -       | -                    | 4.2     | 3371 8060 12 |
| 14  | Posthole pad          | 1½      | -       | -                    | 6.0     | 9245 2822 30 |

## US standard hexagon 1 1/8 x 6 1/4 in. (28 x 160 mm)



| No. | Description           | W (in.) | L (in.) | L <sub>T</sub> (in.) | Wt (lb) | Part number  |
|-----|-----------------------|---------|---------|----------------------|---------|--------------|
| 1   | Moil point            | -       | 15      | 21                   | 6.4     | 3083 3271 00 |
|     |                       | -       | 18      | 24                   | 7.1     | 3083 3272 00 |
|     |                       | -       | 39      | 46                   | 13.7    | 3083 3273 00 |
| 2   | Narrow chisel         | -       | 15      | 21                   | 6.2     | 3083 3274 00 |
|     |                       | -       | 18      | 24                   | 7.3     | 3083 3275 00 |
|     |                       | -       | 39      | 46                   | 14.1    | 3083 3276 00 |
| 3   | Wide chisel           | 3       | 15      | 21                   | 6.6     | 3083 3277 00 |
| 4   | Asphalt cutter        | 5       | 12      | 18                   | 8.2     | 3083 3278 00 |
| 5   | Digging chisel        | 3       | 15      | 21                   | 9.0     | 3083 3279 00 |
| 6   | Digging spade         | 5       | 15      | 21                   | 10.1    | 3083 3280 00 |
| 7   | Clay spade            | 6       | 15      | 21                   | 9.0     | 3083 3281 00 |
| 8   | Wedge chisel          | 2       | 16      | 22                   | 8.6     | 3083 3282 00 |
| 9   | Shaft for tamping pad | -       | 9       | 16                   | 6.6     | 3083 3283 01 |
| 10  | Tamping pad, round    | Ø7      | -       | -                    | 15.7    | 3083 3301 00 |
| 11  | Tamping pad, square   | 6       | -       | -                    | 18.1    | 3083 3302 00 |
|     |                       | 8       | -       | -                    | 22.0    | 3083 3197 00 |
| 12  | Driving pad           | Ø5      | -       | -                    | 16.8    | 3376 1120 79 |
|     |                       | Ø6      | -       | -                    | 19.2    | 3376 1120 77 |
| 13  | Driver blank          | Ø3      | -       | -                    | 7.5     | 9245 2827 10 |


## US standard hexagon 1¼ x 6 in. (32 x 152 mm)



Flat to flat


| No. | Description           | W (in.) | L (in.) | L <sub>T</sub> (in.) | Wt (lb) | Part number  |
|-----|-----------------------|---------|---------|----------------------|---------|--------------|
| 1   | Moil point            | -       | 14      | 20                   | 7.3     | 3083 3285 00 |
|     |                       | -       | 18      | 24                   | 8.6     | 3083 4000 10 |
|     |                       | -       | 24      | 30½                  | 11.2    | 3083 4000 20 |
|     |                       | -       | 36      | 42½                  | 15.4    | 3083 4000 30 |
| 2   | Narrow chisel         | -       | 14      | 20                   | 7.0     | 3083 3286 00 |
|     |                       | -       | 18      | 24                   | 8.4     | 3083 4001 10 |
|     |                       | -       | 24      | 30½                  | 10.8    | 3083 4001 20 |
|     |                       | -       | 36      | 42½                  | 15.4    | 3083 4001 30 |
| 3   | Wide chisel           | 3       | 15      | 20                   | 7.9     | 3083 3295 00 |
|     |                       | 3       | 18      | 24                   | 9.3     | 3083 4002 00 |
|     |                       | 3       | 24      | 30½                  | 11.2    | 3083 4002 10 |
|     |                       | 3       | 36      | 42½                  | 14.8    | 3083 4002 20 |
| 4   | Asphalt cutter        | 4½      | 12      | 18½                  | 8.8     | 3083 4004 00 |
|     |                       | 5       | 13      | 19½                  | 9.0     | 3083 3296 00 |
| 5   | Digging chisel        | 3       | 15      | 21                   | 9.9     | 3083 3297 00 |
| 6   | Digging spade         | 5       | 13      | 19                   | 9.5     | 3083 3298 00 |
| 7   | Clay spade            | 5½      | 15      | 21                   | 11.7    | 3083 3299 00 |
| 8   | Wedge chisel          | 2       | 16      | 22                   | 11.5    | 3083 3300 00 |
| 9   | Shaft for tamping pad | -       | 9       | 16                   | 6.8     | 3083 3287 00 |
| 10  | Tamping pad, round    | Ø7      | -       | -                    | 15.7    | 3083 3301 00 |
| 11  | Tamping pad, square   | 6       | -       | -                    | 18.1    | 3083 3302 00 |
|     |                       | 8       | -       | -                    | 22.0    | 3083 3197 00 |
| 12  | Driving pad           | Ø4¾     | -       | -                    | 16.8    | 3376 1120 79 |
|     |                       | Ø6      | -       | -                    | 19.2    | 3376 1120 77 |
| 13  | Driver blank          | Ø3      | -       | -                    | 7.5     | 9245 2827 10 |

## US standard hexagon 1¼ x 6¼ in. (32 x 160 mm)



| No. | Description           | W (in.) | L (in.) | L <sub>T</sub> (in.) | Wt (lb) | Part number  |
|-----|-----------------------|---------|---------|----------------------|---------|--------------|
| 1   | Moil point            | -       | 15      | 21                   | 8       | 3083 3205 00 |
|     |                       | -       | 18      | 24                   | 9       | 3083 3206 00 |
|     |                       | -       | 39      | 46                   | 17      | 3083 3207 00 |
| 2   | Narrow chisel         | -       | 15      | 21                   | 8       | 3083 3208 00 |
|     |                       | -       | 18      | 24                   | 9       | 3083 3209 00 |
|     |                       | -       | 39      | 46                   | 17      | 3083 3210 00 |
| 3   | Wide chisel           | 3       | 15      | 21                   | 8       | 3083 3211 00 |
| 4   | Asphalt cutter        | 5       | 12      | 18                   | 9       | 3083 3212 00 |
| 5   | Digging chisel        | 3       | 15      | 21                   | 10      | 3083 3213 00 |
| 6   | Digging spade         | 5       | 15      | 21                   | 11      | 3083 3214 00 |
| 7   | Clay spade            | 6       | 15      | 21                   | 10      | 3083 3215 00 |
| 8   | Wedge chisel          | 2       | 16      | 22                   | 8       | 3083 3216 00 |
| 9   | Shaft for tamping pad | -       | 9       | 16                   | 7       | 3083 3218 01 |
| 10  | Tamping pad, round    | Ø7      | -       | -                    | 16      | 3083 3301 00 |
| 11  | Tamping pad, square   | 6       | -       | -                    | 18      | 3083 3302 00 |
|     |                       | 8       | -       | -                    | 22      | 3083 3197 00 |
| 12  | Driving pad           | Ø5      | -       | -                    | 17      | 3376 1120 79 |
|     |                       | Ø6      | -       | -                    | 19      | 3376 1120 77 |
| 13  | Driver blank          | Ø3      | -       | -                    | 7       | 9245 2827 10 |


## ISO standard hexagon 25 x 108 mm (1 x 4¼ in.)



Point to flat

| No. | Description           | W (mm) | L (mm) | L <sub>T</sub> (mm) | Wt (kg) | Part number  |
|-----|-----------------------|--------|--------|---------------------|---------|--------------|
| 1   | Moil point            | -      | 380    | 500                 | 2.0     | 3083 3253 00 |
| 2   | Narrow chisel         | -      | 380    | 500                 | 2.1     | 3083 3254 00 |
| 3   | Wide chisel           | 75     | 380    | 500                 | 2.3     | 3083 3255 00 |
| 5   | Digging chisel        | 75     | 380    | 500                 | 3.1     | 3083 3256 00 |
| 6   | Digging spade         | 120    | 380    | 500                 | 4.2     | 3083 3257 00 |
| 7   | Clay spade            | 125    | 430    | 550                 | 3.8     | 3083 3033 00 |
| 8   | Wedge chisel          | 35     | 380    | 500                 | 2.5     | 3083 3258 00 |
| 9   | Shaft for tamping pad | -      | 280    | 400                 | 2.1     | 3083 3259 00 |
| 10  | Tamping pad, round    | Ø175   | -      | -                   | 7.6     | 3083 3252 10 |
| 11  | Tamping pad, square   | 175    | -      | -                   | 6.1     | 3083 3239 00 |
|     |                       | Ø100   | -      | -                   | 2.6     | 9245 2817 90 |
| 12  | Driver pad, round     | Ø65    | -      | -                   | 1.9     | 3371 8060 12 |
|     |                       | 40     | -      | -                   | 2.7     | 9245 2822 30 |
| 14  | Posthole pad          | 40     | -      | -                   | 2.7     | 9245 2822 30 |


## ISO standard hexagon 28 x 160 mm (1 1/8 x 6 1/4 in.)



Point to flat


| No. | Description           | W (mm) | L (mm) | L <sub>T</sub> (mm) | Wt (kg) | Part number  |
|-----|-----------------------|--------|--------|---------------------|---------|--------------|
| 1   | Moil point            | -      | 380    | 545                 | 2.9     | 3083 3271 00 |
|     |                       | -      | 450    | 615                 | 3.2     | 3083 3272 00 |
|     |                       | -      | 1000   | 1165                | 6.2     | 3083 3273 00 |
| 2   | Narrow chisel         | -      | 380    | 545                 | 2.8     | 3083 3274 00 |
|     |                       | -      | 450    | 615                 | 3.3     | 3083 3275 00 |
|     |                       | -      | 1000   | 1165                | 6.4     | 3083 3276 00 |
| 3   | Wide chisel           | 75     | 380    | 545                 | 3.0     | 3083 3277 00 |
| 4   | Asphalt cutter        | 115    | 300    | 465                 | 3.7     | 3083 3278 00 |
| 5   | Digging chisel        | 75     | 380    | 545                 | 4.1     | 3083 3279 00 |
| 6   | Digging spade         | 125    | 380    | 545                 | 4.6     | 3083 3280 00 |
| 7   | Clay spade            | 140    | 380    | 545                 | 4.1     | 3083 3281 00 |
| 8   | Wedge chisel          | 40     | 400    | 565                 | 3.9     | 3083 3282 00 |
| 9   | Shaft for tamping pad | -      | 230    | 395                 | 3.0     | 3083 3283 01 |
| 10  | Tamping pad, round    | Ø180   | -      | -                   | 7.1     | 3083 3301 00 |
| 11  | Tamping pad, square   | 150    | -      | -                   | 8.2     | 3083 3302 00 |
|     |                       | 200    | -      | -                   | 10.0    | 3083 3197 00 |
| 12  | Driving pad           | Ø120   | -      | -                   | 7.6     | 3376 1120 79 |
|     |                       | Ø150   | -      | -                   | 8.7     | 3376 1120 77 |
| 13  | Driver blank          | Ø80    | -      | -                   | 3.4     | 9245 2827 10 |

## ISO standard hexagon 32 x 152 mm (1¼ x 6 in.)



| No. | Description           | W (mm) | L (mm) | L <sub>T</sub> (mm) | Wt (kg) | Part number  |
|-----|-----------------------|--------|--------|---------------------|---------|--------------|
| 1   | Moil point            | -      | 355    | 520                 | 3.3     | 3083 3285 00 |
|     |                       | -      | 450    | 615                 | 3.9     | 3083 4000 10 |
|     |                       | -      | 610    | 775                 | 5.1     | 3083 4000 20 |
|     |                       | -      | 915    | 1080                | 7.0     | 3083 4000 30 |
| 2   | Narrow chisel         | -      | 355    | 520                 | 3.2     | 3083 3286 00 |
|     |                       | -      | 450    | 615                 | 3.8     | 3083 4001 10 |
|     |                       | -      | 610    | 775                 | 4.9     | 3083 4001 20 |
|     |                       | -      | 915    | 1080                | 7.0     | 3083 4001 30 |
| 3   | Wide chisel           | 75     | 380    | 545                 | 3.6     | 3083 3295 00 |
|     |                       | 75     | 450    | 615                 | 4.2     | 3083 4002 00 |
|     |                       | 75     | 610    | 775                 | 5.1     | 3083 4002 10 |
|     |                       | 75     | 915    | 1080                | 6.7     | 3083 4002 20 |
| 4   | Asphalt cutter        | 115    | 305    | 470                 | 4.0     | 3083 4004 00 |
|     |                       | 125    | 330    | 495                 | 4.1     | 3083 3296 00 |
| 5   | Digging chisel        | 75     | 380    | 545                 | 4.5     | 3083 3297 00 |
| 6   | Digging spade         | 125    | 320    | 485                 | 4.3     | 3083 3298 00 |
| 7   | Clay spade            | 140    | 380    | 545                 | 5.3     | 3083 3299 00 |
| 8   | Wedge chisel          | 50     | 400    | 565                 | 5.2     | 3083 3300 00 |
| 9   | Shaft for tamping pad | -      | 230    | 395                 | 3.1     | 3083 3287 00 |
| 10  | Tamping pad, round    | Ø180   | -      | -                   | 7.1     | 3083 3301 00 |
| 11  | Tamping pad, square   | 150    | -      | -                   | 8.2     | 3083 3302 00 |
|     |                       | 200    | -      | -                   | 10.0    | 3083 3197 00 |
| 12  | Driving pad           | Ø120   | -      | -                   | 7.6     | 3376 1120 79 |
|     |                       | Ø150   | -      | -                   | 8.7     | 3376 1120 77 |
| 13  | Driver blank          | Ø80    | -      | -                   | 3.4     | 9245 2827 10 |

## ISO standard hexagon 32 x 160 mm (1¼ x 6¼ in.)



Point to flat

| No. | Description           | W (mm) | L (mm) | L <sub>T</sub> (mm) | Wt (kg) | Part number  |
|-----|-----------------------|--------|--------|---------------------|---------|--------------|
| 1   | Moil point            | -      | 380    | 545                 | 3.5     | 3083 3205 00 |
|     |                       | -      | 450    | 615                 | 3.9     | 3083 3206 00 |
|     |                       | -      | 1000   | 1165                | 7.6     | 3083 3207 00 |
| 2   | Narrow chisel         | -      | 380    | 545                 | 3.5     | 3083 3208 00 |
|     |                       | -      | 450    | 615                 | 4.0     | 3083 3209 00 |
|     |                       | -      | 1000   | 1165                | 7.5     | 3083 3210 00 |
| 3   | Wide chisel           | 75     | 380    | 545                 | 3.7     | 3083 3211 00 |
| 4   | Asphalt cutter        | 115    | 300    | 465                 | 4.0     | 3083 3212 00 |
| 5   | Digging chisel        | 75     | 380    | 545                 | 4.4     | 3083 3213 00 |
| 6   | Digging spade         | 125    | 380    | 545                 | 4.9     | 3083 3214 00 |
| 7   | Clay spade            | 140    | 380    | 545                 | 4.4     | 3083 3215 00 |
| 8   | Wedge chisel          | 40     | 400    | 565                 | 3.8     | 3083 3216 00 |
| 9   | Shaft for tamping pad | -      | 235    | 400                 | 3.1     | 3083 3218 01 |
| 10  | Tamping pad, round    | Ø180   | -      | -                   | 7.1     | 3083 3301 00 |
| 11  | Tamping pad, square   | 150    | -      | -                   | 8.2     | 3083 3302 00 |
|     |                       | 200    | -      | -                   | 10.0    | 3083 3197 00 |
| 12  | Driving pad           | Ø120   | -      | -                   | 7.6     | 3376 1120 79 |
|     |                       | Ø150   | -      | -                   | 8.7     | 3376 1120 77 |
| 13  | Driver blank          | Ø80    | -      | -                   | 3.4     | 9245 2827 10 |

# Accessories

## Hoses and couplings

| Description                      | Remark                                    | Quantity | Part number  |
|----------------------------------|-------------------------------------------|----------|--------------|
| <b>Connection hose, complete</b> | Ø ½ in. L = 16 in.<br>Ø 12.5 mm L = 0.4 m | 1        | 3371 8010 83 |
| Hose                             | Ø ½ in. L = 16 in.<br>Ø 12.5 mm L = 0.4 m | 2        | 3371 8030 50 |
| Seal ring                        | Bonded seal ½ in. BSP                     | 2        | 3371 8057 14 |
| Quick-release coupling           | Female ½ in. BSP                          | 1        | 3371 8051 33 |
| Quick-release coupling           | Male ½ in. BSP                            | 1        | 3371 8051 34 |
| Protective cap                   | Female                                    | 1        | 3371 8057 33 |
| Protective cap                   | Male                                      | 1        | 3371 8057 32 |
| <b>Twin hose, complete</b>       | Ø ½ in. L = 276 in.<br>Ø 12.5 mm L = 7 m  | 1        | 3371 8010 87 |
| Seal ring                        | Bonded seal ½ in. BSP                     | 4        | 3371 8057 14 |
| Quick-release coupling           | Female ½ in. BSP                          | 2        | 3371 8051 33 |
| Quick-release coupling           | Male ½ in. BSP                            | 2        | 3371 8051 34 |
| Protective cap                   | Female                                    | 2        | 3371 8057 33 |
| Protective cap                   | Male                                      | 2        | 3371 8057 32 |
| Twin hose                        | Ø ½ in. L = 276 in.<br>Ø 12.5 mm L = 7 m  | 1        | 3371 8030 52 |
| <b>Connection hose, complete</b> | Ø ½ in. L = 62 in.<br>Ø 12.5 mm L = 1.6 m | 1        | 3371 8011 90 |
| Hose                             | Ø ½ in. L = 62 in.<br>Ø 12.5 mm L = 1.6 m | 2        | 3371 8030 64 |
| Seal ring                        | Bonded seal ½ in. BSP                     | 2        | 3371 8057 14 |
| Quick-release coupling           | Female ½ in. BSP                          | 1        | 3371 8051 33 |
| Quick-release coupling           | Male ½ in. BSP                            | 1        | 3371 8051 34 |
| Protective cap                   | Female                                    | 1        | 3371 8057 33 |
| Protective cap                   | Male                                      | 1        | 3371 8057 32 |
| Label "P"                        | Pressure side                             | 1        | 3371 8021 15 |

# Kits


## Label kit

| Description       | Remark                | Quantity | Part number  |
|-------------------|-----------------------|----------|--------------|
| <b>Label kit</b>  |                       | 1        | 3371 8210 92 |
| Safety label      |                       | 1        | 3371 8960 61 |
| Pressure charge   | "N <sub>2</sub> "     | 1        | 3371 8960 62 |
| Product label     | "CP"                  | 2        | 3371 8971 55 |
| Product label     | "BRK 40 VR"           | 1        | 3371 8971 64 |
| Product label     | "BRK 40"              | 1        | 3371 8971 63 |
| Noise level label |                       | 1        | -            |
| EHTMA Category C  | 20 lpm                | 1        | 3371 8960 47 |
| Shank size        | "Shank size 25 x 108" | 1        | 3371 8021 09 |
| Shank size        | "Shank size 28 x 160" | 1        | 3371 8021 07 |
| Shank size        | "Shank size 28 x 152" | 1        | 3371 8021 08 |
| Shank size        | "Shank size 32 x 152" | 1        | 3371 8021 06 |
| Shank size        | "Shank size 32 x 160" | 1        | 3371 8021 05 |

## Seal kit

| Description    | Remark                                                   | Quantity | Part number  |
|----------------|----------------------------------------------------------|----------|--------------|
| Seal kit       |                                                          | 1        | 3371 8140 21 |
| Seal           | Ø 0.31 x 0.55 x 0.14 x 0.20 in.<br>Ø 8 x 14 x 3.5 x 5 mm | 1        | 3371 8055 03 |
| O-ring         | Ø 0.64 x 0.09 in.<br>Ø 16.3 x 2.4 mm                     | 1        | 3371 8147 02 |
| O-ring         | Ø 0.33 x 0.09 in.<br>Ø 8.3 x 2.4 mm                      | 1        | 3371 8147 00 |
| Back-up ring   |                                                          | 1        | 3371 8147 01 |
| Circlip        |                                                          | 1        | 3371 8147 12 |
| Circlip        |                                                          | 2        | 3371 8147 32 |
| Protective cap | M24 x 1.5 mm                                             | 1        | 3371 8137 10 |
| Seal ring      | Ø 0.34 x 0.51 x 0.04 in.<br>Ø 8.7 x 13 x 1 mm            | 1        | 3371 8147 09 |
| O-ring         | Ø 0.87 x 0.06 in.<br>Ø 22 x 1.5 mm                       | 2        | 3371 8207 06 |
| O-ring         | Ø 0.98 x 0.06 in.<br>Ø 25 x 1.5 mm                       | 1        | 3371 8147 48 |
| O-ring         | Ø 0.95 x 0.12 in.<br>Ø 24.2 x 3 mm                       | 2        | 3371 8147 03 |
| O-ring         | Ø 1.30 x 0.08 in.<br>Ø 33 x 2 mm                         | 2        | 3371 8147 10 |
| O-ring         | Ø 0.47 x 0.06 in.<br>Ø 12 x 1.5 mm                       | 2        | 3371 8147 50 |
| O-ring         | Ø 0.51 x 0.06 in.<br>Ø 13 x 1.5 mm                       | 1        | 3371 8147 49 |
| Seal ring      | ½ in. BSP                                                | 2        | 3371 8057 14 |
| O-ring         | Ø 2.72 x 0.06 in.<br>Ø 69 x 1.5 mm                       | 1        | 3371 8147 51 |
| Seal           | Ø 1.10 x 1.42 x 0.22 in.<br>Ø 28 x 36 x 5.7 mm           | 1        | 3371 8141 72 |
| Back-up washer | Ø 1.13 x 1.50 x 0.08 in.<br>Ø 28.7 x 38 x 2 mm           | 1        | 3371 8141 69 |
| Circlip        |                                                          | 1        | 3371 8147 54 |
| Wiper          | Ø 1.10 x 1.50 x 0.28 x 0.39 in.<br>Ø 28 x 38 x 7 x 10 mm | 1        | 3371 8147 07 |
| Lock ring      |                                                          | 1        | 3371 8157 38 |
| Nab            |                                                          | 2        | 3371 8151 31 |


Trigger valve kit



| No.     | Description            | Remark | Quantity | Part number  |
|---------|------------------------|--------|----------|--------------|
| 1(2-10) | Trigger valve kit      |        | 1        | 3371 8140 58 |
| 2       | Spring                 |        | 1        | 3371 8141 63 |
| 3       | Washer                 |        | 1        | 3371 8147 52 |
| 4       | Seal                   |        | 1        | 3371 8055 03 |
| 5       | Packing gland          |        | 1        | 3371 8141 20 |
| 6       | O-ring                 |        | 1        | 3371 8147 00 |
| 7       | O-ring                 |        | 1        | 3371 8147 02 |
| 8       | Back-up ring           |        | 1        | 3371 8147 01 |
| 9       | Circlip                |        | 1        | 3371 8147 12 |
| 10      | Trigger spool with rod |        | 1        | 3371 8200 71 |

Accumulator kit

|   |   |   |   |   |   |  |
|---|---|---|---|---|---|--|
| 1 |   |   |   |   |   |  |
| 2 | 3 | 4 | 5 | 6 | 7 |  |



| No.    | Description       | Remark                                        | Quantity | Part number  |
|--------|-------------------|-----------------------------------------------|----------|--------------|
| 1(2-7) | Accumulator kit   |                                               | 1        | 3371 8140 51 |
| 2      | Protective cap    |                                               | 1        | 3376 1170 71 |
| 3      | Seal ring         | Ø 0.34 x 0.51 x 0.04 in.<br>Ø 8.7 x 13 x 1 mm | 1        | 3371 8147 09 |
| 4      | Charging screw    |                                               | 1        | 3371 8131 03 |
| 5      | Accumulator cover |                                               | 1        | 3371 8141 02 |
| 6      | Diaphragm         |                                               | 1        | 3371 8140 52 |
| 7      | Accumulator body  |                                               | 1        | 3371 8141 04 |



